INDEX TO AUTHORS

A

AUERSPERG, NELLY. Microfilaments in epithelial morphogenesis, 206

AUTILIO-GAMBETTI, L. A. See GAMBETTI, AUTILIO-GAMBETTI, GONATAS, and SHAFER, 526

B

BANERJEE, SHIB D. See BERNFIELD and BANERJEE, 664

—. See BERNFIELD, BANERJEE, and COHN, 674

BENEDETTO, ARRIGO, and DJACZENKO, WIKTOR. 37RC cells rapidly recover their RNA synthesis after inhibition with high doses of actinomycin D, 171

BERNFIELD, MERTON R., and BANERJEE, SHIB D. Acid mucopolysaccharide (glycosaminoglycan) at the epithelial-mesenchymal interface of mouse embryo salivary glands, 664

—, BANERJEE, SHIB D., and COHN, RONALD H. Dependence of salivary epithelial morphology and branching morphogenesis upon acid mucopolysaccharide-protein (proteoglycan) at the epithelial surface, 674

BLACK, OWEN, JR., and BRESNICK, EDWARD. Ontogenetic changes of proteins of endoplasmic reticulum, 733

BLOBEL, G. See MORIMOTO, BLOBEL, and SABATINI, 338, 355

BORUN, T. W., and STEIN, G. S. The synthesis of acidic chromosomal proteins during the cell cycle of HeLa S-3 cells. II. The kinetics of residual protein synthesis and transport, 308

—. See STEIN and BORUN, 292

BRESNICK, EDWARD. See BLACK and BRESNICK, 733

—. See CANTRELL and BRESNICK, 316

BUSCH, WAYNE A., STROMER, M. H., GOLL, DARREL E., and SUZUKI, A. Ca^{2+}-specific removal of Z lines from rabbit skeletal muscle, 367

C

CANTRELL, ELROY, and BRESNICK, EDWARD. Benzpyrene hydroxylase activity in isolated parenchymal and nonparenchymal cells in rat liver, 316

CARDELL, ROBERT R., JR. See FRIEDMAN and CARDELL, 15

CAROTHERS, ZANE B. Studies of spermatogenesis in the Hepaticae. III. Continuity between plasma membrane and nuclear envelope in androgonial cells of *Blasia*, 273

CASSONE, ANTONIO. See DJACZENKO and CASSONE, 186

CHERIAN, M. GEORGE. See REDMAN and CHERIAN, 231

CLARK, ALLEN W., HURLBUT, WILLIAM P., and MAURO, ALEXANDER. Changes in the fine structure of the neuromuscular junction of the frog caused by black widow spider venom, 1

COGGINS, LESLEY WATSON, and GALL, JOSEPH G. The timing of meiosis and DNA synthesis during early oogenesis in the toad *Xenopus laevis*, 569

COHEN, ALAN S. See SHIRAHAMA and COHEN, 198

COHN, RONALD H. See BERNFIELD, BANERJEE, and COHN, 674

COOKE, P. H., and FAY, FREDRIC S. Correlation between fiber length, ultrastructure, and the length-tension relationship of mammalian smooth muscle, 105

COTRAN, RAMZI S. See WIDMANN, COTRAN, and FAHIMI, 159

D

DA PRADA, M. See TRANZER, DA PRADA, and PLETSCHER, 191

DALES, SAMUEL. Concerning the universality of a microtubule antigen in animal cells, 748

DEVINE, CARRICK E., SOMLYO, AVRIL V., and SOMLYO, ANDREW P. Sarcoplasmic reticulum and excitation-contraction coupling in mammalian smooth muscles, 690

DJACZENKO, WIKTOR, and CASSONE, ANTONIO. Visualization of new ultrastructural components in the cell wall of *Candida albicans* with fixatives containing TAPO, 186

—. See BENEDETTO and DJACZENKO, 171

DRUCKER, BARBARA. See PEPE and DRUCKER, 255

DUSENBERY, DAVID B., and URETZ, ROBERT B. The orientation of DNA within 80-Angstrom chromatin fibers, 639

F

FAHIMI, H. DARIUSH. See WIDMANN, COTRAN, and FAHIMI, 159

FARBMAN, ALBERT I. Differentiation of taste buds in organ culture, 489

FAY, FREDRIC S. See COOKE and FAY, 105

FEDERMAN, MICHELINE. See GREENGARD, FEDERMAN, and KNOX, 261

FRIEDMAN, HAROLD I., and CARDELL, ROBERT R., JR. Effects of puromycin on the structure of rat intestinal epithelial cells during fat absorption, 15

G

GALL, JOSEPH G. See COGGINS and GALL, 569

GAMBETTI, P., AUTILIO-GAMBETTI, L. A., GONATAS, N. K., and SHAFER, B. Protein synthesis in synaptosomal fractions. Ultrastructural radioautographic study, 526

GANION L. R., and KESSEL, R. G. Intracellular synthesis, transport, and packaging of proteinaceous yolk in oocytes of *Orconectes immunis*, 420

GIBBS, SARAH P. See SMITH-JOHANNSEN and GIBBS, 598

GILAI, ARIEH, and PARNAS, I. Electromechanical coupling in tubular muscle fibers. I. The organization of tubular muscle fibers in the scorpion *Leiurus quinquestriatus*, 626

GOBEL, STEPHEN. See HAND and GOBEL, 397

GOLDMAN, ROBERT D. The effects of cytochalasin B on the microfilaments of baby hamster kidney (BHK-21) cells, 246

GOLL, DARREL E. See BUSCH, STROMER, GOLL, and SUZUKI, 367

GONATAS, N. K. See GAMBETTI, AUTILIO-GAMBETTI, GONATAS, and SHAFER, 526

GREENGARD, OLGA, FEDERMAN, MICHELINE, and KNOX, W. EUGENE. Cytomorphometry of developing rat liver and its application to enzymic differentiation, 261

H

HADLEY, MAC E. See TAYLOR and HADLEY, 493

HAND, ARTHUR R., and GOBEL, STEPHEN. The structural organization of the septate and gap junctions of *Hydra*, 397

HANZLÍKOVÁ, VĚRA. See SCHIAFFINO and HANZLÍKOVÁ, 41

HEDLEY-WHYTE, E. T. See RAWLINS, VILLEGAS, HEDLEY-WHYTE, and UZMAN, 615

HERMOS, JOHN A. See MATHAN, HERMOS, and TRIER, 577

HOLTZMAN, ERIC. See MASUR, HOLTZMAN, and WALTER, 211

HOOBER, J. KENNETH. A major polypeptide of chloroplast membranes of *Chlamydomonas reinhardi*. Evidence for synthesis in the cytoplasm as a soluble component, 84

HURLBUT, WILLIAM P. See CLARK, HURLBUT, and MAURO, 1

I

IDLER, WILLIAM. See UGEL and IDLER, 453

IKEUCHI, TATSURO, WEINFELD, HERBERT, and SANDBERG, AVERY A. Chromosome pulverization in micronuclei induced by tritiated thymidine, 97

IWAI, YUKO. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503

K

KESSEL, R. G. See GANION and KESSEL, 420

KNOX, W. EUGENE. See GREENGARD, FEDERMAN, and KNOX, 261

KOBAYASHI, SHIGERU. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503

KRAFT, N., and SHORTMAN, KEN. Differentiation of antibody-forming cells in toad spleen. A study using density and sedimentation velocity cell separation, 438

KRAMER, M. F., and POORT, C. Unstimulated secretion of protein from rat exocrine pancreas cells, 147

KRISHNA MURTI, C. R. See RAIZADA and KRISHNA MURTI, 743

KUROKAWA, HIROMI. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503

L

LEFFERT, H. L., and PAUL, D. Studies on primary cultures of differentiated fetal liver cells, 559

LENTZ, THOMAS L. Distribution of leucine-^{3}H during axoplasmic transport within regenerating neurons as determined by electron microscope radioautography, 719

LUNG, BEN. Ultrastructure and chromatin disaggregation of human sperm head with thioglycolate treatment, 179

M

MASUR, SANDRA K., HOLTZMAN, ERIC, and WALTER, RODERICH. Hormone-stimulated exocytosis in the toad urinary bladder. Some possible implications for turnover of surface membranes, 211

MATHAN, MINNIE, HERMOS, JOHN A., and TRIER, JERRY S. Structural features of the epithelio-mesenchymal interface of rat duodenal mucosa during development, 577

MAURO, ALEXANDER. See CLARK, HURLBUT, and MAURO, 1

MCGUIRE, JOSEPH, MOELLMANN, GISELA, and MCKEON, FRANK. Cytochalasin B and pigment granule translocation. Cytochalasin B reverses and prevents pigment granule dispersion caused by dibutyryl cAMP and theophylline in *Rana pipiens* melanocytes, 754

MCKEON, FRANK. See MCGUIRE, MOELLMANN, and MCKEON, 754

MOELLMANN, GISELA. See MCGUIRE, MOELLMANN, and MCKEON, 754

MORIMOTO, T., BLOBEL, G., and SABATINI, D. D. Ribosome crystallization in chick embryos. I. Isolation, characterization, and in vitro activity of ribosome tetramers, 338

—, —, and —. II. Conditions for the formation of ribosome tetramers in vivo, 355

MÜLLER, MIKLÓS. Secretion of acid hydrolases and its intracellular source in *Tetrahymena pyriformis*, 478

N

NACHMIAS, VIVIANNE T. Electron microscope observations on myosin from *Physarum polycephalum*, 648

O

O'NEILL, MICHAEL C., and STOCKDALE, FRANK E. A kinetic analysis of myogenesis in vitro, 52

—. See STOCKDALE and O'NEILL, 589

OVALLE, WILLIAM K., JR. Fine structure of rat intrafusal muscle fibers. The equatorial region, 382

P

PARNAS, I. See GILAI and PARNAS, 626
PAUL, D. See LEFFERT and PAUL, 559
PAWLOWSKI, PHILIP J., and VAUGHAN, MAURICE H. Comparison of the relative synthesis of the proteins of the 50S ribosomal subunit in growing and valine-deprived HeLa cells, 409
PEPE, FRANK A., and DRUCKER, BARBARA. The myosin filament. IV. Observation of the internal structural arrangement, 255
PLAGEMANN, PETER G. W. Nucleotide pools in Novikoff rat hepatoma cells growing in suspension culture. III. Effects of nucleosides in medium on levels of nucleotides in separate nucleotide pools for nuclear and cytoplasmic RNA synthesis, 131
PLETSCHER, A. See TRANZER, DA PRADA, and PLETSCHER, 191
POORT, C. See KRAMER and POORT, 147

R

RAIZADA, M. K., and KRISHNA MURTI, C. R. Transformation of trophic *Hartmannella culbertsoni* into viable cysts by cyclic 3′,5′-adenosine monophosphate, 743
RAWLINS, F. A., VILLEGAS, G. M., HEDLEY-WHYTE, E. T., and UZMAN, B. G. Fine structural localization of cholesterol-1,2-^{3}H in degenerating and regenerating mouse sciatic nerve, 615
REDMAN, COLVIN M., and CHERIAN, M. GEORGE. The secretory pathways of rat serum glycoproteins and albumin. Localization of newly formed proteins within the endoplasmic reticulum, 231
ROBISON, W. GERALD, JR. Microtubular patterns in spermatozoa of coccid insects in relation to bending, 66
ROSENTHAL, MIRIAM D. See WARSHAW and ROSENTHAL, 283
RUBIN, WALTER. An unusual intimate relationship between endocrine cells and other types of epithelial cells in the human stomach, 219

S

SABATINI, D. D. See MORIMOTO, BLOBEL, and SABATINI, 338, 355
SACKTOR, BERTRAM, and SHIMADA, YOSHIO. Degenerative changes in the mitochondria of flight muscle from aging blowflies, 465
SANDBERG, AVERY A. See IKEUCHI, WEINFELD, and SANDBERG, 97
SATO, FUMIAKI. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503
SCHIAFFINO, S., and HANZLÍKOVÁ, VĚRA. Autophagic degradation of glycogen in skeletal muscles of the newborn rat, 41
SEKI, MASATOSHI. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503
SEKIYAMA, SHIGETAKA. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503
SHAFER, B. See GAMBETTI, AUTILIO-GAMBETTI, GONATAS, and SHAFER, 526
SHIMADA, YOSHIO. See SACKTOR and SHIMADA, 465
SHIRAGAI, AKIHIRO. See YAGO, SEKI, SEKIYAMA, KOBAYASHI, KUROKAWA, IWAI, SATO, and SHIRAGAI, 503
SHIRAHAMA, TSURANOBU, and COHEN, ALAN S. The role of mucopolysaccharides in vesicle architecture and endothelial transport. An electron microscope study of myocardial blood vessels, 198
SHORTMAN, KEN. See KRAFT and SHORTMAN, 438
SIMSON, J. V., and SPICER, S. S. Ferritin particles in macrophages and in associated mast cells, 536
SISKEN, JESSE E. See STAMBROOK and SISKEN, 514
SMITH-JOHANNSEN, HEIDI, and GIBBS, SARAH P. Effects of chloramphenicol on chloroplast and mitochondrial ultrastructure in *Ochromonas danica*, 598
SOMLYO, ANDREW P. See DEVINE, SOMLYO, and SOMLYO, 690
SOMLYO, AVRIL V. See DEVINE, SOMLYO, and SOMLYO, 690
SPICER, S. S. See SIMSON and SPICER, 536
STAMBROOK, PETER J., and SISKEN, JESSE E. Induced changes in the rates of uridine-^{3}H uptake and incorporation during the G_1 and S periods of synchronized Chinese hamster cells, 514
STEIN, G. S., and BORUN, T. W. The synthesis of acidic chromosomal proteins during the cell cycle of HeLa S-3 cells. I. The accelerated accumulation of acidic residual nuclear protein before the initiation of DNA replication, 292
—. See BORUN and STEIN, 308
STEWART, JAMES R., and WEISMAN, ROBERT A. Exocytosis of latex beads during the encystment of *Acanthamoeba*, 117
STOCKDALE, FRANK E., and O'NEILL, MICHAEL C. Repair DNA synthesis in differentiated embryonic muscle cells, 589
—. See O'NEILL and STOCKDALE, 52
STROMER, M. H. See BUSCH, STROMER, GOLL, and SUZUKI, 367
SUZUKI, A. See BUSCH, STROMER, GOLL, and SUZUKI, 367

T

TAYLOR, JOHN D., and HADLEY, MAC E. The fate of amphibian egg melanosomes, 493
THOMSON, LILLIAN A. See VAUGHN and THOMSON, 322
TRANZER, J. P., DA PRADA, M., and PLETSCHER, A. Storage of 5-hydroxytryptamine in megakaryocytes, 191
TRIER, JERRY S. See MATHAN, HERMOS, and TRIER, 577

U

UGEL, ARTHUR R., and IDLER, WILLIAM. Further characterization of bovine keratohyalin, 453
URETZ, ROBERT B. See DUSENBERY and URETZ, 639

Uzman, B. G. See Rawlins, Villegas, Hedley-Whyte, and Uzman, 615

V

Vaughan, Maurice H. See Pawlowski and Vaughan, 409

Vaughn, Jack C., and Thomson, Lillian A. A kinetic study of DNA and basic protein metabolism during spermatogenesis in the sand crab, *Emerita analoga*, 322

Villegas, G. M. See Rawlins, Villegas, Hedley-Whyte, and Uzman, 615

W

Walter, Roderich. See Masur, Holtzman, and Walter, 211

Warshaw, Joseph B., and Rosenthal, Miriam D. Changes in glucose oxidation during growth of embryonic heart cells in culture, 283

Weinfeld, Herbert. See Ikeuchi, Weinfeld, and Sandberg, 97

Weisman, Robert A. See Stewart and Weisman, 117

Whitmore, P. G. The isolation of microfibrils from rat vibrissal follicles, 174

Widmann, Jean-Jacques, Cotran, Ramzi S., and Fahimi, H. Dariush. Mononuclear phagocytes (Kupffer cells) and endothelial cells. Identification of two functional cell types in rat liver sinusoids by endogenous peroxidase activity, 159

Widnell, Christopher C. Cytochemical localization of 5′-nucleotidase in subcellular fractions isolated from rat liver. I. The origin of 5′-nucleotidase activity in microsomes, 542

Y

Yago, Nagasumi, Seki, Masatoshi, Sekiyama, Shigetaka, Kobayashi, Shigeru, Kurokawa, Hiromi, Iwai, Yuko, Sato, Fumiaki, and Shiragai, Akihiro. Growth and differentiation of mitochondria in the regenerating rat adrenal cortex. A correlated biochemical and stereological approach, 503

INDEX TO SUBJECTS

A

Acid hydrolases, secretion of and intracellular source, in *Tetrahymena pyriformis*, biochemical study, 478
— mucopolysaccharide (glycosaminoglycan) at epithelial-mesenchymal interface of mouse embryo salivary glands, radioautographic and light and EM study, 664
— mucopolysaccharide-protein (proteoglycan) at epithelial surface of mouse embryo salivary gland, dependence of epithelial morphology and branching morphogenesis on, biochemical and radioautographic and light and EM study, 674
Actinomycin D, recovery of RNA synthesis after inhibition with, in 37RC and HeLa cells, biochemical study, 171
Adrenal cortex, regenerating, of rat, growth and differentiation of mitochondria in, biochemical and light and EM stereological study, 503
Albumin and glycoproteins, in rat serum, secretory pathways of, localization of newly formed proteins within endoplasmic reticulum, biochemical and immunologic and radioautographic study, 231
Alga *Chlamydomonas reinhardi*, major polypeptide of chloroplast membranes, synthesis in cytoplasm as soluble component, biochemical study, 84
— *Ochromonas danica*, chloroplast and mitochondria, effects of chloramphenicol on ultrastructure of, physiological and EM study, 598
Antheridia, of liverwort *Blasia pusilla*, continuity between plasma membrane and nuclear envelope in androgonial cells of, EM study, 273
Antibody-forming cells, differentiation of, in toad spleen, biochemical and immunological study, 438
Antigen, microtubular, universality of in animal cells, immunological and EM study, 748
Axoplasmic transport, in regenerating neuron of newt, distribution of leucine during, radioautographic EM study, 719

B

Bending, relationship to microtubular patterns, in spermatozoa of coccid insects, light and EM study, 66
Benzpyrene hydroxylase activity in isolated parenchymal and nonparenchymal cells of rat liver, biochemical and histochemical study, 316
Bladder, urinary, of toad, hormone-stimulated exocytosis in, light and EM study, 211
Blood vessels, of rabbit myocardium, role of mucopolysaccharides in vesicle architecture and endothelial transport, EM study, 198

C

Calcium-specific removal of Z lines from rabbit skeletal muscle, light and EM study, 367
Cattle hoof epidermis, characterization of keratohyalin from, biochemical and light and EM study, 453
Cell wall, of *Candida albicans*, visualization of new ultrastructural components of with fixatives containing TAPO, EM study, 186
Cells, androgonial, of *Blasia*, continuity between plasma membrane and nuclear envelope in, spermatogenesis in Hepaticae, EM study, 273
—, antibody-forming, differentiation of, in toad spleen, biochemical and immunological study, 438
—, BHK-21, effects of cytochalasin B on microfilaments of, light and EM study, 246
—, of chick embryo heart, changes in glucose oxidation during growth of in culture, biochemical study, 283
—, Chinese hamster Don line, chromosome pulverization in micronuclei of induced by tritiated thymidine, cytological and radioautographic study, 97
—, Chinese hamster lung, induced changes in rates of uridine-^{3}H uptake and incorporation during G_1 and S periods, biochemical study, 514
—, *Chironomus thummi* larvae salivary glands, *Amblystoma tigrinum* erythrocytes, and *Spirostomum*, 80-A chromatin fibers, orientation of DNA in, fluorescence and EM study, 639
—, endocrine, relationship to other epithelial cells in human stomach, cytochemical EM study, 219
—, endothelial, and mononuclear phagocytes (Kupffer cells), identification of in rat liver sinusoids by endogenous peroxidase activity, cytochemical EM study, 159
—, epithelial, of rat intestine, effects of puromycin on structure of during fat absorption, light and EM study, 15
—, HeLa, growing and valine-deprived, comparison of relative synthesis of proteins of 50S ribosomal subunit in, biochemical and EM study, 409
—, HeLa, mammalian, avian, iguana, and insect, universality of microtubule antigen in, immunological and EM study, 748
—, HeLa S-3, synthesis of acidic chromosomal proteins during cell cycle of, accumulation of acidic residual nuclear protein before initiation of DNA replication, biochemical study, 292
—, HeLa S-3, synthesis of acidic chromosomal proteins during cell cycle of, kinetics of residual protein synthesis and transport, biochemical study, 308

Cells, C-4II line, microfilaments in epithelial morphogenesis in, light and EM study, 206
—, Novikoff rat hepatoma, effects of nucleosides in medium on levels of nucleotides in separate nucleotide pools for nuclear and cytoplasmic RNA synthesis, biochemical study, 131
—, parenchymal and nonparenchymal, of rat liver, benzpyrene hydroxylase activity in, biochemical and histochemical study, 316
—, 37RC and HeLa, recovery of RNA synthesis after actinomycin D inhibition, biochemical study, 171
—, SV3T3, and rat embryo liver, primary cultures of, biochemical and immunological study, 559
Cerebral cortex, of rat, synaptosomal fraction, protein synthesis in, radiouatographic EM study, 526
Chick, embryo, changes in glucose oxidation during growth of heart cells in culture, biochemical study, 283
—, embryo, muscle, kinetic analysis of myogenesis in vitro, biochemical and radioautographic study, 52
—, embryo, ribosome crystallization in, conditions for formation of ribosome tetramers in vivo, biochemical study, 355
—, embryo, ribosome crystallization in, isolation, characterization and in vitro activity of ribosome tetramers, biochemical study, 338
—, embryo, skeletal muscle, repair DNA synthesis in differentiated cells of, biochemical study, 589
Chicken, striated muscle, internal structural arrangement of myosin filament, EM study, 255
Chloramphenicol, effects of on ultrastructure of chloroplasts and mitochondria, of *Ochromonas danica*, physiological and EM study, 598
Chloroplast, of *Chlamydomonas reinhardi*, synthesis of membrane polypeptide in cytoplasm as soluble component, biochemical study, 84
Chloroplasts and mitochondria, of *Ochromonas danica*, effects of chloramphenicol on ultrastructure of, physiological and EM study, 598
Cholesterol, fine structural localization of in degenerating and regenerating mouse sciatic nerve, radioautographic EM study, 615
Chromatin disaggregation and ultrastructure of human sperm head with thioglycolate treatment, EM study, 179
— fibers, 80-A, of *Chironomus thummi* larvae salivary glands, *Amblystoma tigrinum* erythrocytes and *Spirostomum*, orientation of DNA within, fluorescence and EM study, 639
Chromosome pulverization in micronuclei induced by tritiated thymidine, in Chinese hamster Don cells, cytological and radioautographic study, 97
Coelenterata *Pelmatohydra oligactis*, structural organization of septate and gap junctions of, EM study, 397
Coupling, electromechanical, in tubular muscle fibers, of scorpion, EM study, 626
—, excitation-contraction, and sarcoplasmic reticulum, in mammalian smooth muscle, physiological and EM study, 690
Crayfish *Orconectes immunis*, oocytes, intracellular synthesis, transport, and packaging of proteinaceous yolk in, radioautographic light and EM study, 420
Crystallization of ribosomes in chick embryos, conditions for formation of ribosome tetramers in vivo, biochemical study, 355
— of ribosomes in chick embryos, isolation, characterization and in vitro activity of ribosome tetramers, biochemical study, 338
Cyclic adenosine monophosphate and theophylline, pigment granule dispersion caused by, in frog melanocytes, effects of cytochalasin B on, light microscope study, 754
— 3′,5′-adenosine monophosphate, transformation of trophic *Hartmannella culbertsoni* into viable cysts by, biochemical study, 743
Cysts, viable, transformation of trophic *Hartmanella culbertsoni* into by cyclic 3′,5′-adenosine monophosphate, biochemical study, 743
Cytochalasin B, effects of on microfilaments of BHK-21 cells, light and EM study, 246
— and pigment granule dispersion caused by cyclic adenosine monophosphate and theophylline, in frog melanocytes, light microscope study, 754
Cytomorphometry, application of to enzymic differentiation in developing rat liver, quantitative stereologic study, 261
Cytoplasm, of *Chlamydomonas reinhardi*, synthesis of major polypeptide of chloroplast membranes in as soluble component, biochemical study, 84
— and nucleus, of Novikoff rat hepatoma cells, effects of nucleosides in medium on levels of nucleotides in separate nucleotide pools for RNA synthesis in, biochemical study, 131

D

DNA and basic protein metabolism during spermatogenesis in sand crab, cytochemical and radioautographic study, 322
—, orientation of within 80-A chromatin fibers, of *Chironomus thummi* larvae salivary glands, *Amblystoma tigrinum* erythrocytes and *Spirostomum*, fluorescence and EM study, 639
—, repair synthesis, in differentiated muscle cells of chick embryo, biochemical study, 589
— replication, accumulation of acidic chromosomal protein before, during cell cycle of HeLa S-3 cells, biochemical study, 292
— synthesis and meiosis, timing of during early oogenesis, in toad, radioautographic study, 569
Duodenal mucosa, of rat, structural features of epithelio-mesenchymal interface of during development, light and EM study, 577

E

Egg melanosomes, of frog embryo and larvae, light and EM study, 493
Electromechanical coupling in tubular muscle fibers, of scorpion, EM study, 626

Embryo, of chick, changes in glucose oxidation during growth of heart cells in culture, biochemical study, 283
—, chick, muscle, kinetic analysis of myogenesis in vitro, biochemical and radioautographic study, 52
—, chick, ribosome cyrstallization in, conditions for formation of ribosome tetramers in vivo, biochemical study, 355
—, of chick, ribosome crystallization in, isolation, characterization and in vitro activity of ribosome tetramers, biochemical study, 338
—, chick, skeletal muscle, repair DNA synthesis in differentiated cells, biochemical study, 589
— and larvae, of frog, egg melanosomes of, light and EM study, 493
—, of mouse, salivary glands, acid mucopolysaccharide (glycosaminoglycan) at epithelial-mesenchymal interface of, radioautographic and light and EM study, 664
—, of mouse, salivary glands, dependence of epithelial morphology and branching morphogenesis of upon acid mucopolysaccharide–protein (proteoglycan) at epithelial surface, biochemical and radioautographic and light and EM study, 674
—, rat, liver, and SV3T3 cells, primary cultures of, biochemical and immunological study, 559
—, of rat, tongue, differentiation of taste buds of in organ culture, light microscope study, 489
Encystment of *Acanthamoeba castellanii*, exocytosis of latex beads during, biochemical and EM study, 117
Endocrine and other epithelial cells, relationship between, in human stomach, cytochemical EM study, 219
Endoplasmic reticulum, of adult and fetal rat liver, ontogenetic changes of proteins of, biochemical study, 733
— reticulum, localization of newly formed proteins within, secretory pathways of rat serum glycoproteins and albumin, biochemical and immunologic and radioautographic study, 231
Enzyme, benzpyrene hydroxylase, activity in isolated parenchymal and nonparencymal cells of rat liver, biochemical and histochemical study, 316
—, 5′-nucleotidase, localization of in microsomes of rat liver, biochemical and cytochemical EM study, 542
Enzymic differentiation, in developing rat liver, application of cytomorphometry to, quantitative stereological study, 261
Epidermis, of cattle hoof, characterization of keratohyalin from, biochemical and light and EM study, 453
Epithelial morphology and branching morphogenesis, dependence of upon acid mucopolysaccharide–protein (proteoglycan) at epithelial surface of mouse embryo salivary gland, biochemical and radioautographic and light and EM study, 674
Epithelial-mesenchymal interface, of mouse embryo salivary glands, acid mucopolysaccharide (glycosaminoglycan) at, radioautographic and light and EM study, 664
— interface, of rat duodenal mucosa, structural features of during development, light and EM study, 577
Equatorial region, of rat intrafusal muscle fibers, fine structure of, light and EM study, 382
Excitation-contraction coupling and sarcoplasmic reticulum, in mammalian smooth muscle, physiological and EM study, 690
Exocytosis, hormone-stimulated, in toad urinary bladder, light and EM study, 211
— of latex beads during encystment of *Acanthamoeba castellanii*, biochemical and EM study, 117

F

Fat absorption, in rat intestinal epithelial cells, effect of puromycin, light and EM study, 15
Ferritin particles in macrophages and associated mast cells, of rat lymph node and salivary gland, light and EM study, 536
Fiber length and ultrastructure, of mammalian smooth muscle, correlation with length-tension relationship, physiological and EM study, 105
Fibers, intrafusal, of rat striated muscle, fine structure of equatorial region of, light and EM study, 382
Filament, myosin, of chicken striated muscle, internal structural arrangement of, EM study, 255
Filaments, micro-, of BHK-21 cells, effects of cytochalasin B on, light and EM study, 246
Follicles, vibrissal, of rat, isolation of microfibrils from, EM study, 174
Frog *Rana pipiens*, embryo and larvae, egg melanosomes of, light and EM study, 493
— *Rana pipiens*, neuromuscular junction, changes in fine structure of caused by black widow spider venom, physiological and EM study, 1
— *Rana pipiens*, skin, cytochalasin B and pigment granule dispersion caused by cyclic adenosine monophosphate and theophylline in melanocytes of, light microscope study, 754

G

G_1 and S periods of synchronized Chinese hamster cells, induced changes in rates of uridine uptake and incorporation during, biochemical study, 514
Glucose oxidation, changes in during growth of chick embryo heart cells in culture, biochemical study, 283
Glycogen, autophagic degradation of in skeletal muscles of newborn rat, cytochemical EM study, 41
Glycoproteins and albumin, in rat serum, secretory pathways of, localization of newly formed proteins within endoplasmic reticulum, biochemical and immunologic and radioautographic study, 231
Glycosaminoglycan (acid mucopolysaccharide) at epithelial-mesenchymal interface of mouse embryo salivary glands, radioautographic and light and EM study, 664
Guinea pig and rabbit, bone marrow, storage of 5-hydroxytryptamine in megakaryocytes, EM study, 191
—, smooth muscle, correlation between fiber length, ultrastructure, and length-tension relationships of, physiological and EM study, 105

H

Hormone, oxytocin, exocytosis stimulated by in toad urinary bladder, light and EM study, 211
Human, sperm, ultrastructure and chromatin disaggregation of with thioglycolate treatment, EM study, 179
Hydrolases, acid, secretion of and intracellular source, in *Tetrahymena pyriformis*, biochemical study, 478
Hydroxytryptamine-5-, storage of in megakaryocytes of rabbit and guinea pig bone marrow, EM study, 191

I

Insect, blowfly *Phormia regina*, aging, degenerative changes in mitochondria of flight muscle of, cytochemical and EM study, 465
Insects *Parlatoria oleae*, *Planococcus citri*, and *Pseudococcus obscurus*, spermatozoa, microtubular patterns of in relation to bending, light and EM study, 66
Intestine, of rat, effects of puromycin on epithelial cells of during fat absorption, light and EM study, 15

J

Junction, neuromuscular, of frog, changes in fine structure of caused by black widow spider venom, physiological and EM study, 1
Junctions, septate and gap, structural organization of, in *Hydra*, EM study, 397

K

Keratohyalin, of cattle hoof epidermis, characterization of, biochemical and light and EM study, 453

L

Latex beads, exocytosis of, during encystment of *Acanthamoeba castellanii*, biochemical and EM study, 117
Length-tension relationship, of mammalian smooth muscle, correlation with fiber length and ultrastructure, physiological and EM study, 105
Leucine, distribution of during axoplasmic transport within regenerating neuron, of newt, radioautographic EM study, 719
Liver, of adult and fetal rat, ontogenetic changes of proteins of endoplasmic reticulum of, biochemical study, 733
—, developing, of rat, application of cytomorphometry of to enzymic differentiation, quantitative stereologic study, 261
—, of rat, benzpyrene hydroxylase activity in isolated parenchymal and nonparenchymal cells of, biochemical and histochemical study, 316
—, of rat embryo, and SV3T3 cells, primary cultures of, biochemical and immunological study, 559
—, of rat, localization of 5′-nucleotidase in microsomes of, biochemical and cytochemical EM study, 542
— sinusoids, of rat, identification of mononuclear phagocytes (Kupffer cells) and endothelial cells by endogenous peroxidase activity, cytochemical EM study, 159
Liverwort *Blasia pusilla*, antheridia, continuity between plasma membrane and nuclear envelope in androgonial cells of, EM study, 273
Lymph node and salivary gland, of rat, ferritin particles in macrophages and associated mast cells of, light and EM study, 536

M

Macrophages and associated mast cells, of rat lymph node and salivary gland, ferritin particles in, light and EM study, 536
Mast cells and macrophages, of rat lymph node and salivary gland, ferritin particles in, light and EM study, 536
Megakaryocytes, of rabbit and guinea pig bone marrow, storage of 5-hydroxytryptamine in, EM study, 191
Meiosis and DNA synthesis, timing of during early oogenesis, in toad, radioautographic study, 569
Melanocytes, of frog skin, cytochalasin B and pigment granule dispersion caused by cyclic adenosine monophosphate and theophylline in, light microscope study, 754
Melanosomes, egg, of frog embryo and larvae, light and EM study, 493
Membrane, of *Chlamydomonas reinhardi* chloroplast, synthesis of major polypeptide of in cytoplasm as soluble component, biochemical study, 84
—, plasma, and nuclear envelope, continuity between, in androgonial cells of *Blasia*, spermatogenesis in Hepaticae, EM study, 273
Microfibrils, isolation of from rat vibrissal follicles, EM study, 174
Microfilaments, in epithelial morphogenesis, in cell line C-4II, light and EM study, 206
Microsomes, of rat liver, localization of 5′-nucleotidase in, biochemical and cytochemical EM study, 542
Microtubule antigen, universality of in animal cells, immunological and EM study, 748
Microtubules, in spermatozoa of coccid insects, patterns of in relation to bending, light and EM study, 66
Mitochondria and chloroplasts, of *Ochromonas danica*, effects of chloramphenicol on ultrastructure of, physiological and EM study, 598
—, of flight muscle from aging blowflies, degenerative changes in, cytochemical and EM study, 465
—, growth and differentiation of, in regenerating rat adrenal cortex, biochemical and light and EM stereological study, 503
Morphogenesis, epithelial, in C-4II cell line, microfilaments in, light and EM study, 206
Mouse, embryo, salivary glands, acid mucopolysaccharide (glycosaminoglycan) at epithelial-mesenchymal interface of, radioautographic and light and EM study, 664
—, embryo, salivary glands, dependence of epithelial morphology and branching morphogenesis of upon acid mucopolysaccharide–protein (proteoglycan) at epithelial surface, biochemical and radioautographic and light and EM study, 674
—, sciatic nerve, degenerating and regenerating fine structural localization of cholesterol-^{3}H in, radioautographic EM study, 615

Mucopolysaccharides, role of in vesicle architecture and endothelial transport, in rabbit myocardial blood vessels, EM study, 198
Mucosa, duodenal, of rat, structural features of epithelio-mesenchymal interface of during development, light and EM study, 577
Muscle, of chick embryo, kinetic analysis of myogenesis in vitro, biochemical and radioautographic study, 52
— fibers, tubular, of scorpion, electromechanical coupling in, EM study, 626
—, flight, of aging blowflies, degenerative changes in mitochondria of, cytochemical and EM study, 465
—, skeletal, of chick embryo, repair DNA synthesis in differentiated cells of, biochemical study, 589
—, skeletal, of newborn rat, autophagic degradation of glycogen in, cytochemical EM study, 41
—, skeletal, of rabbit, calcium-specific removal of Z lines from, light and EM study, 367
—, smooth, of guinea pig, correlation between fiber length, ultrastructure, and length-tension relationship of, physiological and EM study, 105
—, smooth, of rabbit and guinea pig blood vessels, and human uterus, sarcoplasmic reticulum and excitation-contraction coupling in, physiological and EM study, 690
—, striated, of chicken, internal structural arrangement of myosin filament, EM study, 255
—, striated, of rat, fine structure of equatorial region of intrafusal fibers of, light and EM study, 382
Myocardium, of rabbit, role of mucopolysaccharides in vesicle architecture and endothelial transport of blood vessels of, EM study, 198
Myogenesis, kinetic analysis of in vitro, in chick embryo muscle, biochemical and radioautographic study, 52
Myosin filament, of chicken striated muscle, internal structural arrangement of, EM study, 255
—, isolation of from *Physarum polycephalum*, biochemical and EM study, 648

N

Nerve, sciatic, degenerating and regenerating, of mouse, fine structural localization of cholesterol-^{3}H in, radioautographic EM study, 615
Neuromuscular junction, of frog, changes in fine structure of caused by black widow spider venom, physiological and EM study, 1
Neurons, regenerating, in newt, distribution of leucine-^{3}H during axoplasmic transport in, radioautographic EM study, 719
Newt *Triturus viridescens*, regenerating neurons, distribution of leucine-^{3}H during axoplasmic transport in, radioautographic EM study, 719
Nuclear envelope and plasma membrane, continuity between, in androgonial cells of *Blasia*, spermatogenesis in Hepaticae, EM study, 273
Nuclei, micro-, of Chinese hamster Don cells, chromosome pulverization in induced by tritiated thymidine, cytological and radioautographic study, 97
Nucleosides in medium, effects of on levels of nucleotides in separate nucleotide pools for nuclear and cytoplasmic RNA synthesis, biochemical study, 131
Nucleotidase-5′-, localization of in microsomes of rat liver, biochemical and cytochemical EM study, 542
Nucleotides, effects of nucleosides in medium on levels of in separate nucleotide pools for nuclear and cytoplasmic RNA synthesis, in Novikoff rat hepatoma cells, biochemical study, 131
Nucleus and cytoplasm, of Novikoff rat hepatoma cells, effects of nucleosides in medium on levels of nucleotides in separate nucleotide pools for RNA synthesis in, biochemical study, 131
—, of HeLa S-3 cells, accumulation of acidic protein in before initiation of DNA replication, biochemical study, 292
—, of HeLa S-3 cells, kinetics of residual protein synthesis and transport, biochemical study, 308

O

Oocytes, of *Orconectes immunis*, intracellular synthesis, transport, and packaging of proteinaceous yolk in, radioautographic light and EM study, 420
Oogenesis, early, in toad, timing of meiosis and DNA synthesis during, radioautographic study, 569
Organ culture, of rat embryo tongue, differentiation of taste buds, light microscope study, 489
Ovary, of toad, timing of meiosis and DNA synthesis during early oogenesis in, radioautographic study, 569

P

Pancreas, of rat, unstimulated secretion of protein from exocrine cells of, biochemical and radioautographic study, 147
Peroxidase activity of mononuclear phagocytes (Kupffer cells) and endothelial cells, identification of in rat liver sinusoids, cytochemical EM study, 159
Phagocytes, mononuclear (Kupffer cells), and endothelial cells, identification of in rat liver sinusoids by endogenous peroxidase activity, cytochemical EM study, 159
Pigment granule dispersion caused by cyclic adenosine monophosphate and theophylline, effects of cytochalasin B, in frog melanocytes, light microscope study, 754
Polypeptide, of chloroplast membranes of *Chlamydomonas reinhardi*, synthesis of in cytoplasm as soluble component, biochemical study, 84
Protein, acidic chromosomal, accumulation of before initiation of DNA replication, during cell cycle of HeLa S-3 cells, biochemical study, 292
—, acidic chromosomal, kinetics of synthesis and transport of, during cell cycle of HeLa S-3 cells, biochemical study, 308
— (basic) and DNA metabolism during spermatogenesis in sand crab, cytochemical and radioautographic study, 322
— synthesis in synaptosomal fraction of rat cerebral cortex, radioautographic EM study, 526
—, unstimulated secretion of from rat pancreatic exocrine cells, biochemical and radioautographic study, 147
— yolk formation, transport and packaging, in oocytes

of *Orconectes immunis*, radioautographic light and EM study, 420
Proteins of endoplasmic reticulum of adult and fetal rat liver, ontogenetic changes of, biochemical study, 733
—, newly formed, localization of within endoplasmic reticulum, secretory pathways of rat serum glycoproteins and albumin, biochemical and immunologic and radioautographic study, 231
—, of 50S ribosomal subunit in growing and valine-deprived HeLa cells, comparison of relative synthesis of, biochemical and EM study, 409
Proteoglycan (acid mucopolysaccharide–protein) at epithelial surface of mouse embryo salivary gland, dependence of epithelial morphology and branching morphogenesis on, biochemical and radioautographic and light and EM study, 674
Protozoan *Acanthamoeba castellanii*, exocytosis of latex beads during encystment of, biochemical and EM study, 117
— *Hartmanella culbertsoni*, transformation of trophic form of into viable cysts by cyclic 3′,5′-adenosine monosphsphate, biochemical study, 743
— *Tetrahymena pyriformis*, secretion of acid hydrolases and intracellular source in, biochemical study, 478
Puromycin, effects on structure of rat intestinal epithelial cells during fat absorption, light and EM study, 15

R

Rabbit and guinea pig blood vessels, and human uterus, smooth muscle, sarcoplasmic reticulum and excitation-contraction coupling in, physiological and EM study, 690
— and guinea pig, bone marrow, storage of 5-hydroxytryptamine in megakaryocytes, EM study, 191
—, myocardial blood vessels, role of mucopolysaccharides in vesicle architecture and endothelial transport, EM study, 198
—, skeletal muscle, calcium-specific removal of Z lines from, light and EM study, 367
Radioactive label, adenine-^{14}C, transformation of trophic *Hartmanella culbertsoni* into viable cysts by cyclic 3′,5′-adenosine monophosphate, biochemical study, 743
— label, adenosine-^{3}H, cytidine-^{3}H, guanosine-^{3}H, inosine-^{3}H, uridine-^{3}H, uridine-^{14}C, and inorganic-^{32}P, effects of nucleosides in medium on levels of nucleotides in pools for nuclear and cytoplasmic RNA synthesis, in Novikoff rat hepatoma cells, biochemical study, 131
— label, alanine-^{3}H, leucine-^{3}H, phenylalanine-^{3}H, and proline-^{3}H, protein synthesis in synaptosomal fraction of rat cerebral cortex, radioautographic EM study, 526
— label, amino acids-^{14}C and δ-amino-levulinic acid-^{3}H, ontogenetic changes of proteins of endoplasmic reticulum, in adult and fetal rat liver, biochemical study, 733
— label, arginine-^{3}H, major polypeptide of chloroplast membrane of *Chlamydomonas reinhardi*, synthesis in cytoplasm as soluble component, biochemical study, 84
Radioactive label, cholesterol-^{3}H, fine structural localization of cholesterol in degenerating and regenerating mouse sciatic nerve, radioautographic EM study, 615
— label, glucosamine-^{3}H and sodium sulfate-^{35}S, acid mucopolysaccharide (glycosaminoglycan) at epithelial-mesenchymal interface of mouse embryo salivary glands, radioautographic and light and EM study, 664
— label, glucosamine-^{3}H and thymidine-^{3}H, dependence of epithelial morphology and branching morphogenesis upon acid mucopolysaccharide–protein (proteoglycan) at epithelial surface, of mouse embryo salivary glands, biochemical and radioautographic and light and EM study, 674
— label, glucose-^{14}C, changes in glucose oxidation during growth of chick embryo heart cells in culture, biochemical study, 283
— label, inorganic phosphate-^{32}P and lead-^{210}Pb, localization of 5′-nucleotidase in microsomes of rat liver, biochemical and cytochemical EM study, 542
— label, leucine-^{3}H, distribution of leucine during axoplasmic transport within regenerating neuron, of newt, radioautographic EM study, 719
— label, leucine-^{3}H, intracellular synthesis, transport, and packaging of proteinaceous yolk in oocytes of *Orconectes immunis*, radioautographic light and EM study, 420
— label, leucine-^{3}H, leucine-^{14}C, lysine-^{14}C, thymidine-^{14}C, and tryptophan-^{3}H, accumulation of acidic chromosomal protein before initiation of DNA replication, in HeLa S-3 cells, biochemical study, 292
— label, leucine-^{3}H, ribosome crystallization in chick embryos, conditions for formation of ribosome tetramers in vivo, biochemical study, 355
— label, leucine-^{3}H, synthesis of acidic chromosomal proteins during cell cycle of HeLa S-3 cells, kinetics of residual protein synthesis and transport, biochemical study, 308
— label, leucine-^{3}H, unstimulated secretion of protein from rat pancreatic exocrine cells, biochemical and radioautographic study, 147
— label, nucleotide sugars-^{14}C, leucine-^{14}C, and leucine-^{3}H, secretory pathways of rat serum glycoproteins and albumin, localization of newly formed proteins within endoplasmic reticulum, biochemical and immunologic and radioautographic study, 231
— label, phenylalanine-^{14}C and puromycin-^{3}H, ribosome crystallization in chick embryos, isolation, characterization and in vitro activity of ribosome tetramers, biochemical study, 338
— label, thymidine-^{3}H, chromosome pulverization in micronuclei induced by tritiated thymidine, cytological and radioautographic study, 97
— label, thymidine-^{3}H, differentiation of antibody-forming cells in toad spleen, biochemical and immunological study, 438
— label, thymidine-^{3}H, DNA and basic protein metabolism during spermatogenesis in sand crab

Emerita analoga, cytochemical and radioautographic study, 322
Radioactive label, thymidine-^{14}C and methyl thymidine-^{3}H, kinetic analysis of myogenesis in vitro, in chick embryo muscle, biochemical and radioautographic study, 52
– label, thymidine-^{3}H, repair DNA synthesis in differentiated muscle cells of chick embryo, biochemical study, 589
– label, thymidine-^{3}H and uridine-^{3}H, induced changes in rates of uridine uptake and incorporation during G_1 and S periods of synchronized Chinese hamster cells, biochemical study, 514
– label, thymidine-methyl-^{3}H, ornithine-^{3}H, and leucine-^{3}H, primary cultures of differentiated fetal liver and SV3T3 cells, biochemical and immunological study, 559
– label, thymidine-methyl-^{3}H, timing of meiosis and DNA synthesis during early oogenesis, in toad, radioautographic study, 569
– label, uridine-^{14}C, leucine-^{14}C, and leucine-^{3}H, comparison of relative synthesis of proteins of 50S ribosomal subunit in growing and valine-deprived HeLa cells, biochemical and EM study, 409
– label, uridine-^{3}H, recovery of RNA synthesis after actinomycin D inhibition in 37RC and HeLa cells, biochemical study, 171
Rat, adrenal cortex, regenerating, growth and differentiation of mitochondria in, biochemical and light and EM stereological study, 503
–, adult and fetal, liver, ontogenetic changes of proteins of endoplasmic reticulum of, biochemical study, 733
–, cerebral cortex, synaptosomal fraction, protein synthesis in, radioautographic EM study, 526
–, duodenal mucosa, structural features of epithelio-mesenchymal interface of during development, light and EM study, 577
–, embryo, liver, and SV3T3 cells, primary cultures of, biochemical and immunological study, 559
–, embryo, tongue, differentiation of taste buds of in organ culture, light microscope study, 489
–, intestine, effects of puromycin on epithelial cells of during fat absorption, light and EM study, 15
–, liver, benzpyrene hydroxylase activity in isolated parenchymal and nonparenchymal cells of, biochemical and histochemical study, 316
–, liver, developing, application of cytomorphometry of to enzymic differentiation, quantitative stereologic study, 261
–, liver, localization of 5′-nucleotidase in microsomes of, biochemical and cytochemical EM study, 542
–, liver sinusoids, identification of mononuclear phagocytes (Kupffer cells) and endothelial cells by endogenous peroxidase activity, cytochemical EM study, 159
–, lymph node and salivary gland, ferritin particles in macrophages and associated mast cells of, light and EM study, 536
–, newborn, autophagic degradation of glycogen in skeletal muscles of, cytochemical EM study, 41
–, pancreas, unstimulated secretion of protein from exocrine cells of, biochemical and radioautographic study, 147
Rat, serum, secretory pathways of glycoproteins and albumin in, localization of newly formed proteins within endoplasmic reticulum, biochemical and immunologic and radioautographic study, 231
–, striated muscle, fine structure of equatorial region of intrafusal fibers of, light and EM study, 382
–, vibrissal follicles, isolation of microfibrils from, EM study, 174
Ribosomal 50S subunit, in growing and valine-deprived HeLa cells, comparison of relative synthesis of proteins of, biochemical and EM study, 409
Ribosome crystallization in chick embryos, conditions for formation of ribosome tetramers in vivo, biochemical study, 355
— crystallization in chick embryos, isolation, characterization and in vitro activity of ribosome tetramers, biochemical study, 338
RNA synthesis, nuclear and cytoplasmic, in Novikoff rat hepatoma cells, effects of nucleosides in medium on levels of nucleotides in separate nucleotide pools for, biochemical study, 131
— synthesis, recovery of after actinomycin D inhibition, in 37RC and HeLa cells, biochemical study, 171

S

S and G_1 periods of synchronized Chinese hamster cells, induced changes in rates of uridine uptake and incorporation during, biochemical study, 514
Salivary gland and lymph node, of rat, ferritin particles in macrophages and associated mast cells of, light and EM study, 536
— glands, of mouse embryo, acid mucopolysaccharide (glycosaminoglycan) at epithelial-mesenchymal interface of, radioautographic and light and EM study, 664
— glands, of mouse embryo, dependence of epithelial morphology and branching morphogenesis of upon acid mucopolysaccharide–protein (proteoglycan) at epithelial surface, biochemical and radioautographic and light and EM study, 674
Sand crab *Emerita analoga*, DNA and basic protein metabolism during spermatogenesis in, cytochemical and radioautographic study, 322
Sarcoplasmic reticulum and excitation-contraction coupling, in mammalian smooth muscle, physiological and EM study, 690
Scorpion *Leiurus quinquestriatus*, tubular muscle fibers, electromechanical coupling in, EM study, 626
Serum, of rat, secretory pathways of glycoproteins and albumin in, localization of newly formed proteins within endoplasmic reticulum, biochemical and immunologic and radioautographic study, 231
Skin, of frog, cytochalasin B and pigment granule dispersion caused by cyclic adenosine monophosphate and theophylline in melanocytes of, light microscope study, 754
Slime mold *Physarum polycephalum*, isolation of myosin from, biochemical and EM study, 648
Sperm, human, ultrastructure and chromatin disaggregation of with thioglycolate treatment, EM study, 179

Spermatogenesis, DNA and basic protein metabolism during, in sand crab, cytochemical and radioautographic study, 322
— in Hepaticae, continuity between plasma membrane and nuclear envelope in androgonial cells of *Blasia*, EM study, 273
Spermatozoa, of coccid insects, microtubular patterns of in relation to bending, light and EM study, 66
Spider, black widow, changes in fine structure of neuromuscular junction of frog caused by venom of, physiological and EM study, 1
Spleen, of toad, differentiation of antibody-forming cells in, biochemical and immunological study, 438
Stomach, human, relationship between endocrine cells and other epithelial cells in, cytochemical EM study, 219
Synaptosomal fraction of rat cerebral cortex, protein synthesis in, radioautographic EM study, 526

T

TAPO (tris L-aziridinyl phosphine oxide), visualization of new ultrastructural components in cell wall of *Candida albicans* with fixatives containing, EM study, 186
Taste buds, of rat embryo tongue, differentiation of in organ culture, light microscope study, 489
Theophylline and cyclic adenosine monophosphate, pigment granule dispersion caused by, in frog melanocytes, effects of cytochalasin B on, light microscope study, 754
Thioglycolate treatment of human sperm head, ultrastructure and chromatin disaggregation, EM study, 179
Toad *Bufo marinus*, spleen, differentiation of antibody-forming cells in, biochemical and immunological study, 438
— *Bufo marinus*, urinary bladder, hormone-stimulated exocytosis in, light and EM study, 211
— *Xenopus laevis*, ovary, timing of meiosis and DNA synthesis during early oogenesis in, radioautographic study, 569
Tongue, of rat embryo, differentiation of taste buds of in organ culture, light microscope study, 489
Transport, endothelial, and vesicle architecture, role of mucopolysaccharides in, in rabbit myocardial blood vessels, EM study, 198

U

Uridine uptake and incorporation, induced changes in rates of, during G_1 and S periods of synchronized Chinese hamster cells, biochemical study, 514

V

Vacuoles, autophagic, degradation of by glycogen in skeletal muscles of newborn rat, cytochemical EM study, 41
Venom, of black widow spider, changes in fine structure of neuromuscular junction of frog caused by, physiological and EM study, 1
Vesicles, in neuromuscular junction of frog, changes in caused by black widow spider venom, physiological and EM study, 1
—, pinocytic, of rabbit myocardial blood vessels, role of mucopolysaccharides in architecture of and endothelial transport, EM study, 198

Y

Yeast *Candida albicans*, visualization of new ultrastructural components in cell wall of with fixatives containing TAPO, EM study, 186
Yolk, proteinaceous, in oocytes of *Orconectes immunis*, intracellular synthesis, transport, and packaging of, radioautographic light and EM study, 420

Z

Z lines, calcium-specific removal of, from rabbit skeletal muscle, light and EM study, 367